

## CLOSTRIDIUM PERFRINGENS TYPES C & D ANTITOXIN

Equine Origin

Cat. #13701 50ml  
Cat. #13703 250ml



**FOR VETERINARY USE ONLY**



**INDICATIONS:** For use as an aid in the temporary prevention or treatment of Clostridial enterotoxemia in cattle, sheep, and goats caused by types B,C, and D toxin and in swine when caused by type C. Type D is not known to cause disease in swine and type B is not a significant problem in North America .

Contains phenol and thimerosal as preservatives.

**DIRECTIONS:** Store at 2° to 7° C. Do not freeze. Shake well before use. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter.

**PRECAUTIONS:** Anaphylactoid reaction may occur following administration of products of this nature. If noted, administer adrenalin or equivalent.

**DOSAGE AND ADMINISTRATION:** Shake well, use aseptic subcutaneous injection of the following doses for prevention:

<b>Suckling Lambs, Goats and Pigs:</b>	5 ml
<b>Suckling Calves:</b>	10 ml
<b>Feeder Calves and Cattle:</b>	25 ml
<b>Feeder Lambs and Pigs:</b>	10 ml

For treatment, double the preventative dose.

A more rapid effect can be achieved by intravenous administration, with repeat dosages as often as 12 hour intervals.



[www.coloradoserum.com](http://www.coloradoserum.com)