

INDICATIONS: For use as an aid in the prevention and treatment of enteric and respiratory conditions caused by the micro-organisms named. Contains thimerosal and phenol as preservatives.

DIRECTIONS: Store at 2° to 7° C. Do not freeze. Shake well before use. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter.

PRECAUTIONS: Anaphylactoid reaction may occur following administration of products of this nature. If noted, administer adrenalin or equivalent.

DOSAGE AND ADMINISTRATION: Inject subcutaneously or intramuscularly and repeat according to judgment of user. Administer at 12-24 hour intervals until improvement is noted. Use multiple sites or IV for large doses. It is recommended to limit injections to no more than 10ml per injection site.



FOR PREVENTION:	CALVES	CATTLE	SHEEP
	20 to 40 ml	50 to 75 ml	10 to 15 ml
	as soon after birth as possible		
Provides immediate and short-term protection lasting 7-21 days			

FOR TREATMENT:	CALVES	CATTLE	SHEEP
	40 to 100 ml	75 to 150 ml	20 to 40 ml
	Can be used in conjunction with antibiotic treatments		

**RESPIRAGEN SERUM
ANTIBODIES**

Arcanobacterium Pyogenes-Mannheimia
Haemolytica-Pasteurella Multocida
Antibody
Bovine Origin

Cat. #13502 100ml
Cat. #13503 250ml

FOR VETERINARY USE ONLY

