

**INDICATIONS:** For use as an aid in non-specific treatment of equine infections and disease conditions. Also recommended for non-specific treatment of anemia haemorrhage, shock following injury, and debilitating conditions for which blood enrichment is desired. Administration provides supplemental equine albumin, globulins, and associated fluids.

Contains phenol and thimerosal as preservatives.

**DIRECTIONS:** Store at 2° to 7° C. Do not freeze. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter.

**PRECAUTIONS:** Anaphylactoid reaction may occur following administration of products of this nature. If noted, administer adrenalin or equivalent.

A condition referred to as “serum hepatitis” infrequently occurs in horses. The literature associates this partially with the injection of biologics containing equine serum or tissue. However, efforts to experimentally reproduce such a condition in horses have not been successful.

**DOSAGE AND ADMINISTRATION:** Inject subcutaneously, intramuscularly, or intravenously, 50ml - 250ml depending upon weight of animal and judgment of veterinarian administering. Repeat doses may be given.


Use multiple sites or IV for large doses. It is recommended to limit injections to no more than 10ml per injection site.

**NORMAL SERUM**

Equine Origin

---

Cat. #63102 100ml  
Cat. #63103 250ml



**FOR VETERINARY USE ONLY**

